ELSEVIER

Brain Research 847 (1999) 360–362

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Alburges, M.E. and Hanson, G.R.
Ibogaine pretreatment dramatically enhances the dynorphin response to cocaine (847) 139
Ambu, R., see Quartu, M. (847) 196
Ameno, K., see Satriotomo, I. (847) 124
Ángyán, L. and Ángyán, Z.
Subthalamic influences on the cardiorespiratory functions in the cat (847) 130
Ángyán, Z., see Ángyán, L. (847) 130

Bachis, A., see Quartu, M. (847) 196
Bachtell, R.K., Wang, Y.-M., Freeman, P., Risinger, F.O. and Ryabinin, A.E.
Alcohol drinking produces brain region-selective changes in expression of inducible transcription factors (847) 157
Baldessarini, R.J., see Zhang, K. (847) 32
Balraj, E.K., see Ordway, G.A. (847) 71
Barr, C.S. and Dokas, L.A.
Glucocorticoids regulate the synthesis of HSP27 in rat brain slices (847) 9
Benoit, E., see Mattei, C. (847) 50
Billet, S., Cant, N.B. and Hall, W.C.
Cholinergic projections to the visual thalamus and superior colliculus (847) 121
Billington, C.J., see Cleary, J.P. (847) 26
Blessing, W.W., see Nalivaiko, E. (847) 343
Bourguignon, J.-P. and Gérard, A.
Role of insulin-like growth factor binding proteins in limitation of IGF-I degradation into the *N*-methyl-D-aspartate receptor antagonist GPE: evidence from gonadotrophin-releasing hormone secretion in vitro at two developmental stages (847) 247
Bryant, H.U., see Wu, X. (847) 98
Burkhard Mackensen, G., see Nellgård, B.M.G. (847) 262
Bussières, N. and El Manira, A.
$GABA_B$ receptor activation inhibits N- and P/Q-type calcium channels in cultured lamprey sensory neurons (847) 175

Cant, N.B., see Billet, S. (847) 121
Célèrier, E., Laulin, J.-P., Larcher, A., Le Moal, M. and Simonnet, G.
Evidence for opiate-activated NMDA processes masking opiate analgesia in rats (847) 18
Chen, K., Sprunger, L.K., Meisler, M.H., Waller, H.J. and Godfrey, D.A.
Reduced spontaneous activity in the dorsal cochlear nucleus of Scn8a mutant mice (847) 85
Chopp, M., see Zhang, Z.G. (847) 338
Cleary, J., see MacNabb, C. (847) 231
Cleary, J.P., O'Hare, E., Pomonis, J.D., Dittel, P.L., Hofmeister, J.J., Fritz, M.M., Billington, C.J. and Levine, A.S.
Discriminative stimulus effects of morphine: central versus peripheral training (847) 26
Coenen, R., see D'Hooge, R. (847) 352
Cole, H.W., see Wu, X. (847) 98
Cotter, C.S., see Deak, T. (847) 211

Dai, Y., see Tokunaga, A. (847) 321
Daisley, J.N. and Rose, S.P.R.
Adenosine–amino acid interactions in the chick brain: a role in passive avoidance learning (847) 149
Deak, T., Nguyen, K.T., Cotter, C.S., Fleshner, M., Watkins, L.R., Maier, S.F. and Spencer, R.L.
Long-term changes in mineralocorticoid and glucocorticoid receptor occupancy following exposure to an acute stressor (847) 211
Decamp, E., Wade, T. and Schneider, J.S.
Differential regulation of striatal dopamine D_1 and D_2 receptors in acute and chronic parkinsonian monkeys (847) 134
De Deyn, P.P., see D'Hooge, R. (847) 352
Del Fiacco, M., see Quartu, M. (847) 196
D'Hooge, R., Coenen, R., Gieselmann, V., Lüllmann-Rauch, R. and De Deyn, P.P.
Decline in brainstem auditory-evoked potentials coincides with loss of spiral ganglion cells in arylsulfatase A-deficient mice (847) 352
Dilley, G.E., see Ordway, G.A. (847) 71
Dittel, P.L., see Cleary, J.P. (847) 26
Dokas, L.A., see Barr, C.S. (847) 9
Doty, R.L., see Kratskin, I.L. (847) 240
Drieu, K., see Yao, Z.-X. (847) 203

El Manira, A., see Bussières, N. (847) 175

Farley, J.T., see Ordway, G.A. (847) 71
Farr, S.A., Uezu, K., Flood, J.F. and Morley, J.E.
Septo-hippocampal drug interactions in post-trial memory processing (847) 221
Fekete, É., see Vígh, J. (847) 253
Fleshner, M., see Deak, T. (847) 211
Flood, J.F., see Farr, S.A. (847) 221
Freeman, P., see Bachtell, R.K. (847) 157
Fritz, M.M., see Cleary, J.P. (847) 26
Fukuoka, T., see Tokunaga, A. (847) 321

Georgopoulos, A.P., see MacNabb, C. (847) 231
Gérard, A., see Bourguignon, J.-P. (847) 247
Ghandour, M.S., see Knapp, P.E. (847) 332
Gieselmann, V., see D'Hooge, R. (847) 352
Ginsburg, K. and Narahashi, T.
Time course and temperature dependence of allethrin modulation of sodium channels in rat dorsal root ganglion cells (847) 38
Glinn, M.A., see Wu, X. (847) 98
Godfrey, D.A., see Chen, K. (847) 85

Hall, W.C., see Billet, S. (847) 121
Hanson, G.R., see Alburges, M.E. (847) 139
Harrold, J.A., see Park, S. (847) 90
Hasegawa, K., see Ochiai-Kanai, R. (847) 59
Hastings, L., see Kratskin, I.L. (847) 240
Hauser, K.F., see Knapp, P.E. (847) 332
Henriksen, S.J., see Steffensen, S.C. (847) 186
Hofmeister, J.J., see Cleary, J.P. (847) 26
Hori, M., see Kitagawa, K. (847) 166
Hunter, A.J., see Read, S.J. (847) 1

Irazuzta, J.E., Olson, J., Kiefaber, M.P. and Wong, H.
Hypothermia decreases excitatory neurotransmitter release in bacterial meningitis in rabbits (847) 143
Ismaili, S., see Knapp, P.E. (847) 332
Itoh, M., see Satriotomo, I. (847) 124

Jantze, H., see Rauca, C. (847) 347

Kelly, P.A.T., see McBean, D.E. (847) 80
Kiefaber, M.P., see Irazuzta, J.E. (847) 143
Kimura, Y., see Kratskin, I.L. (847) 240
Kitagawa, K., Matsumoto, M., Ohtsuki, T., Kuwabara, K., Mabuchi, T., Yagita, Y., Hori, M. and Yanagihara, T.
Deficiency of intercellular adhesion molecule 1 fails to mitigate selective neuronal death after transient global ischemia (847) 166
Klein, R.L., Lewis, M.H., Muzyczka, N. and Meyer, E.M.
Prevention of 6-hydroxydopamine-induced rotational behavior by BDNF somatic gene transfer (847) 314

ELSEVIER

Brain Research 847 (1999) 360–362

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Alburges, M.E. and Hanson, G.R.
Ibogaine pretreatment dramatically enhances the dynorphin response to cocaine (847) 139
Ambu, R., see Quartu, M. (847) 196
Ameno, K., see Satriotomo, I. (847) 124
Ángyán, L. and Ángyán, Z.
Subthalamic influences on the cardiorespiratory functions in the cat (847) 130
Ángyán, Z., see Ángyán, L. (847) 130

Bachis, A., see Quartu, M. (847) 196
Bachtell, R.K., Wang, Y.-M., Freeman, P., Risinger, F.O. and Ryabinin, A.E.
Alcohol drinking produces brain region-selective changes in expression of inducible transcription factors (847) 157
Baldessarini, R.J., see Zhang, K. (847) 32
Balraj, E.K., see Ordway, G.A. (847) 71
Barr, C.S. and Dokas, L.A.
Glucocorticoids regulate the synthesis of HSP27 in rat brain slices (847) 9
Benoit, E., see Mattei, C. (847) 50
Billet, S., Cant, N.B. and Hall, W.C.
Cholinergic projections to the visual thalamus and superior colliculus (847) 121
Billington, C.J., see Cleary, J.P. (847) 26
Blessing, W.W., see Nalivaiko, E. (847) 343
Bourguignon, J.-P. and Gérard, A.
Role of insulin-like growth factor binding proteins in limitation of IGF-I degradation into the *N*-methyl-D-aspartate receptor antagonist GPE: evidence from gonadotrophin-releasing hormone secretion in vitro at two developmental stages (847) 247
Bryant, H.U., see Wu, X. (847) 98
Burkhard Mackensen, G., see Nellgård, B.M.G. (847) 262
Bussières, N. and El Manira, A.
$GABA_B$ receptor activation inhibits N- and P/Q-type calcium channels in cultured lamprey sensory neurons (847) 175

Cant, N.B., see Billet, S. (847) 121
Célèrier, E., Laulin, J.-P., Larcher, A., Le Moal, M. and Simonnet, G.
Evidence for opiate-activated NMDA processes masking opiate analgesia in rats (847) 18
Chen, K., Sprunger, L.K., Meisler, M.H., Waller, H.J. and Godfrey, D.A.
Reduced spontaneous activity in the dorsal cochlear nucleus of Scn8a mutant mice (847) 85
Chopp, M., see Zhang, Z.G. (847) 338
Cleary, J., see MacNabb, C. (847) 231
Cleary, J.P., O'Hare, E., Pomonis, J.D., Dittel, P.L., Hofmeister, J.J., Fritz, M.M., Billington, C.J. and Levine, A.S.
Discriminative stimulus effects of morphine: central versus peripheral training (847) 26
Coenen, R., see D'Hooge, R. (847) 352
Cole, H.W., see Wu, X. (847) 98
Cotter, C.S., see Deak, T. (847) 211

Dai, Y., see Tokunaga, A. (847) 321
Daisley, J.N. and Rose, S.P.R.
Adenosine–amino acid interactions in the chick brain: a role in passive avoidance learning (847) 149
Deak, T., Nguyen, K.T., Cotter, C.S., Fleshner, M., Watkins, L.R., Maier, S.F. and Spencer, R.L.
Long-term changes in mineralocorticoid and glucocorticoid receptor occupancy following exposure to an acute stressor (847) 211
Decamp, E., Wade, T. and Schneider, J.S.
Differential regulation of striatal dopamine D_1 and D_2 receptors in acute and chronic parkinsonian monkeys (847) 134
De Deyn, P.P., see D'Hooge, R. (847) 352
Del Fiacco, M., see Quartu, M. (847) 196
D'Hooge, R., Coenen, R., Gieselmann, V., Lüllmann-Rauch, R. and De Deyn, P.P.
Decline in brainstem auditory-evoked potentials coincides with loss of spiral ganglion cells in arylsulfatase A-deficient mice (847) 352
Dilley, G.E., see Ordway, G.A. (847) 71
Dittel, P.L., see Cleary, J.P. (847) 26
Dokas, L.A., see Barr, C.S. (847) 9
Doty, R.L., see Kratskin, I.L. (847) 240
Drieu, K., see Yao, Z.-X. (847) 203

El Manira, A., see Bussières, N. (847) 175

Farley, J.T., see Ordway, G.A. (847) 71
Farr, S.A., Uezu, K., Flood, J.F. and Morley, J.E.
Septo-hippocampal drug interactions in post-trial memory processing (847) 221
Fekete, É., see Vígh, J. (847) 253
Fleshner, M., see Deak, T. (847) 211
Flood, J.F., see Farr, S.A. (847) 221
Freeman, P., see Bachtell, R.K. (847) 157
Fritz, M.M., see Cleary, J.P. (847) 26
Fukuoka, T., see Tokunaga, A. (847) 321

Georgopoulos, A.P., see MacNabb, C. (847) 231
Gérard, A., see Bourguignon, J.-P. (847) 247
Ghandour, M.S., see Knapp, P.E. (847) 332
Gieselmann, V., see D'Hooge, R. (847) 352
Ginsburg, K. and Narahashi, T.
Time course and temperature dependence of allethrin modulation of sodium channels in rat dorsal root ganglion cells (847) 38
Glinn, M.A., see Wu, X. (847) 98
Godfrey, D.A., see Chen, K. (847) 85

Hall, W.C., see Billet, S. (847) 121
Hanson, G.R., see Alburges, M.E. (847) 139
Harrold, J.A., see Park, S. (847) 90
Hasegawa, K., see Ochiai-Kanai, R. (847) 59
Hastings, L., see Kratskin, I.L. (847) 240
Hauser, K.F., see Knapp, P.E. (847) 332
Henriksen, S.J., see Steffensen, S.C. (847) 186
Hofmeister, J.J., see Cleary, J.P. (847) 26
Hori, M., see Kitagawa, K. (847) 166
Hunter, A.J., see Read, S.J. (847) 1

Irazuzta, J.E., Olson, J., Kiefaber, M.P. and Wong, H.
Hypothermia decreases excitatory neurotransmitter release in bacterial meningitis in rabbits (847) 143
Ismaili, S., see Knapp, P.E. (847) 332
Itoh, M., see Satriotomo, I. (847) 124

Jantze, H., see Rauca, C. (847) 347

Kelly, P.A.T., see McBean, D.E. (847) 80
Kiefaber, M.P., see Irazuzta, J.E. (847) 143
Kimura, Y., see Kratskin, I.L. (847) 240
Kitagawa, K., Matsumoto, M., Ohtsuki, T., Kuwabara, K., Mabuchi, T., Yagita, Y., Hori, M. and Yanagihara, T.
Deficiency of intercellular adhesion molecule 1 fails to mitigate selective neuronal death after transient global ischemia (847) 166
Klein, R.L., Lewis, M.H., Muzyczka, N. and Meyer, E.M.
Prevention of 6-hydroxydopamine-induced rotational behavior by BDNF somatic gene transfer (847) 314

Klimek, V., see Ordway, G.A. (847) 71
Knapp, P.E., Ismaili, S., Hauser, K.F. and Ghandour, M.S.
Abnormal Ca^{2+} regulation in oligodendrocytes from the dysmyelinating jimpy mouse (847) 332
Koch, T., see Talamini, L.M. (847) 105
Kondo, E., see Tokunaga, A. (847) 321
Kondoh, T., see Wada, T. (847) 299
Koolhaas, J.M., see Talamini, L.M. (847) 105
Korf, J., see Talamini, L.M. (847) 105
Kratskin, I.L., Kimura, Y., Hastings, L. and Doty, R.L.
Chronic dexamethasone treatment potentiates insult to olfactory receptor cells produced by 3-methylindole (847) 240
Kula, N.S., see Zhang, K. (847) 32
Kuwabara, K., see Kitagawa, K. (847) 166

Lai, M.L., see Quartu, M. (847) 196
Lappi, D.A., see Wrenn, C.C. (847) 284
Larcher, A., see Célèrier, E. (847) 18
Laulin, J.-P., see Célèrier, E. (847) 18
Le Moal, M., see Célèrier, E. (847) 18
Lénárd, L., see Vígh, J. (847) 253
Levine, A.S., see Cleary, J.P. (847) 26
Lewis, M.H., see Klein, R.L. (847) 314
Lu, D., see Zhang, Z.G. (847) 338
Luiten, P.G.M., see Talamini, L.M. (847) 105
Lüllmann-Rauch, R., see D'Hooge, R. (847) 352

Mabuchi, T., see Kitagawa, K. (847) 166
MacNabb, C., O'Hare, E., Cleary, J. and Georgopoulos, A.P.
Congenital hypothyroidism impairs response alternation discrimination behavior (847) 231
Maier, S.F., see Deak, T. (847) 211
Manning, P., see Read, S.J. (847) 1
Marquais, M., see Mattei, C. (847) 50
Matsumoto, M., see Kitagawa, K. (847) 166
Mattei, C., Molgó, J., Marquais, M., Vernoux, J.-P. and Benoit, E.
Hyperosmolar D-mannitol reverses the increased membrane excitability and the nodal swelling caused by Caribbean ciguatoxin-1 in single frog myelinated axons (847) 50
McBean, D.E., Ritchie, I.M., Olverman, H.J. and Kelly, P.A.T.
Effects of the specific serotonin reuptake inhibitor, citalopram, upon local cerebral blood flow and glucose utilisation in the rat (847) 80
McNeil, C.J., see Read, S.J. (847) 1
Meisler, M.H., see Chen, K. (847) 85
Meltzer, H.Y., see Ordway, G.A. (847) 71
Meyer, E.M., see Klein, R.L. (847) 314
Miki, K., see Tokunaga, A. (847) 321
Miki, T., see Satriotomo, I. (847) 124
Miura, Y., see Nellgård, B.M.G. (847) 262
Molgó, J., see Mattei, C. (847) 50
Morley, J.E., see Farr, S.A. (847) 221
Morris, D., see Zhang, Z.G. (847) 338
Muzyczka, N., see Klein, R.L. (847) 314

Nakagawa, T. and Yamane, H.
Cytochrome *c* redistribution in apoptosis of guinea pig vestibular hair cells (847) 357
Nalivaiko, E. and Blessing, W.W.
Synchronous changes in ear and tail blood flow following salient and noxious stimuli in rabbits (847) 343
Narahashi, T., see Ginsburg, K. (847) 38
Nellgård, B.M.G., Miura, Y., Burkhard Mackensen, G., Pearlstein, R.D. and Warner, D.S.
Effect of intracerebral norepinephrine depletion on outcome from severe forebrain ischemia in the rat (847) 262
Nguyen, K.T., see Deak, T. (847) 211
Ni, B., see Wu, X. (847) 98
Noguchi, K., see Tokunaga, A. (847) 321

Ochiai-Kanai, R., Hasegawa, K., Takeuchi, Y., Yoshioka, H. and Sawada, T.
Immunohistochemical nitrotyrosine distribution in neonatal rat cerebrocortical slices during and after hypoxia (847) 59
O'Hare, E., see Cleary, J.P. (847) 26
O'Hare, E., see MacNabb, C. (847) 231
Ohtsuki, T., see Kitagawa, K. (847) 166
Olson, J., see Irazuzta, J.E. (847) 143
Olverman, H.J., see McBean, D.E. (847) 80
Ordway, G.A., Farley, J.T., Dilley, G.E., Overholser, J.C., Meltzer, H.Y., Balraj, E.K., Stockmeier, C.A. and Klimek, V.
Quantitative distribution of monoamine oxidase A in brainstem monoamine nuclei is normal in major depression (847) 71
O'Regan, M.H., see Phillis, J.W. (847) 270
Ostrowski, N.L., see Wu, X. (847) 98
Overholser, J.C., see Ordway, G.A. (847) 71

Papadopoulos, V., see Yao, Z.-X. (847) 203
Park, S., Harrold, J.A., Widdowson, P.S. and Williams, G.
Increased binding at 5-HT_{1A}, 5-HT_{1B}, and 5-HT_{2A} receptors and 5-HT transporters in diet-induced obese rats (847) 90
Parsons, A.A., see Read, S.J. (847) 1
Paul, S.M., see Wu, X. (847) 98
Pearlstein, R.D., see Nellgård, B.M.G. (847) 262
Phelan, K.D.
N-Ethylmaleimide selectively blocks presynaptic GABA-B autoreceptor but not heteroreceptor-mediated inhibition in adult rat striatal slices (847) 308
Phillis, J.W., Song, D. and O'Regan, M.H.
Melittin enhances amino acid and free fatty acid release from the in vivo cerebral cortex (847) 270
Pomonis, J.D., see Cleary, J.P. (847) 26

Quartu, M., Serra, M.P., Bachis, A., Lai, M.L., Ambu, R. and Del Fiacco, M.
Glial cell line-derived neurotrophic factor-like immunoreactivity in human trigeminal ganglion and nucleus (847) 196

Rauca, C., Zerbe, R. and Jantze, H.
Formation of free hydroxyl radicals after pentylenetetrazol-induced seizure and kindling (847) 347
Read, S.J., Manning, P., McNeil, C.J., Hunter, A.J. and Parsons, A.A.
Effects of sumatriptan on nitric oxide and superoxide balance during glyceryl trinitrate infusion in the rat. Implications for antimigraine mechanisms (847) 1
Risinger, F.O., see Bachtell, R.K. (847) 157
Ritchie, I.M., see McBean, D.E. (847) 80
Rose, S.P.R., see Daisley, J.N. (847) 149
Ryabinin, A.E., see Bachtell, R.K. (847) 157

Satriotomo, I., Miki, T., Itoh, M., Xie, Q., Ameno, K. and Takeuchi, Y.
Effect of short-term ethanol exposure on the suprachiasmatic nucleus of hypothalamus: immunohystochemical study in mice (847) 124
Savina, I., see Zalcman, S. (847) 276
Sawada, T., see Ochiai-Kanai, R. (847) 59
Schneider, J.S., see Decamp, E. (847) 134
Serra, M.P., see Quartu, M. (847) 196
Simonnet, G., see Célèrier, E. (847) 18
Song, D., see Phillis, J.W. (847) 270
Spencer, R.L., see Deak, T. (847) 211
Sprunger, L.K., see Chen, K. (847) 85
Steffensen, S.C., Henriksen, S.J. and Wilson, M.C.
Transgenic rescue of SNAP-25 restores dopamine-modulated synaptic transmission in the coloboma mutant (847) 186
Stockmeier, C.A., see Ordway, G.A. (847) 71
Su, Y., see Wu, X. (847) 98
Szweda, L.I., see Yao, Z.-X. (847) 203

Takeuchi, Y., see Ochiai-Kanai, R. (847) 59
Takeuchi, Y., see Satriotomo, I. (847) 124
Talamini, L.M., Koch, T., Luiten, P.G.M., Koolhaas, J.M. and Korf, J.
Interruptions of early cortical development affect limbic association areas and social behaviour in rats; possible relevance for neurodevelopmental disorders (847) 105
Tamaki, N., see Wada, T. (847) 299
Tarazi, F.I., see Zhang, K. (847) 32
Tokunaga, A., Kondo, E., Fukuoka, T., Miki, K., Dai, Y., Tsujino, H. and Noguchi, K.
Excitability of spinal cord and gracile nucleus neurons in rats with chronically injured sciatic nerve examined by c-fos expression (847) 321
Tsujino, H., see Tokunaga, A. (847) 321

Uezu, K., see Farr, S.A. (847) 221

Vernoux, J.-P., see Mattei, C. (847) 50
Vígh, J., Lénárd, L. and Fekete, É.
Bombesin microinjection into the basolateral amygdala influences feeding behavior in the rat (847) 253

Wada, T., Kondoh, T. and Tamaki, N.
Ischemic "cross" tolerance in hypoxic ischemia of immature rat brain (847) 299

Wade, T., see Decamp, E. (847) 134
Waller, H.J., see Chen, K. (847) 85
Wang, Y.-M., see Bachtell, R.K. (847) 157
Warner, D.S., see Nellgård, B.M.G. (847) 262
Watkins, L.R., see Deak, T. (847) 211
Wayne, T., see Zhang, Z.G. (847) 338
Weiss, N.T., see Zhang, K. (847) 32
Widdowson, P.S., see Park, S. (847) 90
Wiley, R.G., see Wrenn, C.C. (847) 284
Williams, G., see Park, S. (847) 90
Wilson, M.C., see Steffensen, S.C. (847) 186
Wise, R.A., see Zalcman, S. (847) 276
Wong, H., see Irazuzta, J.E. (847) 143
Wrenn, C.C., Lappi, D.A. and Wiley, R.G.
Threshold relationship between lesion extent of the cholinergic basal forebrain in the rat and working memory impairment in the radial maze (847) 284
Wu, X., Glinn, M.A., Ostrowski, N.L., Su, Y., Ni, B., Cole, H.W., Bryant, H.U. and Paul, S.M.
Raloxifene and estradiol benzoate both fully restore hippocampal choline acetyltransferase activity in ovariectomized rats (847) 98

Xie, Q., see Satriotomo, I. (847) 124

Yagita, Y., see Kitagawa, K. (847) 166
Yamane, H., see Nakagawa, T. (847) 357
Yanagihara, T., see Kitagawa, K. (847) 166
Yao, Z.-X., Drieu, K., Szweda, L.I. and Papadopoulos, V.
Free radicals and lipid peroxidation do not mediate β-amyloid-induced neuronal cell death (847) 203
Yoshioka, H., see Ochiai-Kanai, R. (847) 59

Zalcman, S., Savina, I. and Wise, R.A.
Interleukin-6 increases sensitivity to the locomotor-stimulating effects of amphetamine in rats (847) 276
Zerbe, R., see Rauca, C. (847) 347
Zhang, K., Weiss, N.T., Tarazi, F.I., Kula, N.S. and Baldessarini, R.J.
Effects of alkylating agents on dopamine D_3 receptors in rat brain: selective protection by dopamine (847) 32
Zhang, R.L., see Zhang, Z.G. (847) 338
Zhang, Z.G., Chopp, M., Lu, D., Wayne, T., Zhang, R.L. and Morris, D.
Receptor tyrosine kinase tie 1 mRNA is upregulated on cerebral microvessels after embolic middle cerebral artery occlusion in rat (847) 338